













- Koon LC, Cranbrook E. Swiftlets of Borneo: Builders of Edible Nests. Natural History Publication. 200; 37(1): 119-121.
- Fadhilah ZA, Chua KH, Ng SL, Elvy SMR, Lee TH, Norzana AG. Effects of edible bird's nest (EBN) on cultured rabbit corneal keratocytes. BMC Complementary and Alternative Medicine 2011; 1472-6882.
- Kong YC, Keung WM, Yip TT, Ko KM, Tsao SW, Ng MH. Evidence that epidermal growth factor is present in swiftlet's (*Collocalia*) nest. MC Complementary and Alternative Medicine. 1987; (87): 221-226
- Norhayati MJ, Azman O, Wan NW. Preliminary Study of the Nutritional Content of Malaysian Edible Bird's Nest Malaysian journal of nutrition 2010; (16): 389-396.
- Patrick H, Farrells O. High resolution two-dimensional electrophoresis of proteins. Biological Chemistry 1974; (5): 4007-4021.
- Sami L, Pusztahelyi T, Emri T, Varcza Z, Fekete A, Grallert A, Karanyi Z, Kiss L, Pocs I. Chitinase production and antifungal effect of allosamidin. The Journal of General and Applied Microbiology 2001; (47):201-211.