





















- Huoponen K. Leber hereditary optic neuropathy: clinical and molecular genetic findings. *Neurogenetics* 2001;3(3):119–125.
- Istikharah R, Tun AW, Kaewsutthi S, Aryal P, Kunhapan B, Katanyoo W, Lertrit P. Identification of the variants in PARL, the nuclear modifier gene, responsible for the expression of LHON patients in Thailand. *Experimental Eye Research* 2013;116: 55–57.
- Jeyaraju DV, McBride HM, Hill RB, Pellegrini L. Structural and mechanistic basis of Parl activity and regulation. *Cell Death & Differentiation* 2011;18(9):1531–1539.
- Ji Y, Jia X, Li S, Xiao X, Guo X, Zhang, Q. Evaluation of the X-linked modifier loci for Leber hereditary optic neuropathy with the G11778A mutation in Chinese. *Molecular Vision* 2010;16:416–424.
- Kirkman MA, Yu-Wai-Man P, Korsten A, Leonhardt M, Dimitriadis K, De-Coo IF, Chinnery PF. Gene–environment interactions in Leber hereditary optic neuropathy. *Brain* 2009;132(9), 2317–2326.
- Man PYW, Brown DT, Wehnert MS, Zeviani M, Carrara F, Turnbull DM, Chinnery PF. NDUFA-1 is not a nuclear modifier gene in Leber hereditary optic neuropathy. *Neurology* 2002;58(12), 1861–1862.
- Mascialino B, Leinonen M, Meier T. Meta-analysis of the prevalence of Leber hereditary optic neuropathy mtDNA mutations in Europe. *European Journal of Ophthalmology* 2012(3), 461–465.
- Phasukkijwatana N, Kunhapan B, Stankovich J, Chuenkongkaew WL, Thomson R, Thornton T, Lertrit P. Genome-wide linkage scan and association study of PARL to the expression of LHON families in Thailand. *Human Genetics* 2010;128(1):39–49.
- Ruiz-Pesini E, Lott MT, Procaccio V, Poole JC, Brandon MC, Mishmar D, Wallace DC. An enhanced MITOMAP with a global mtDNA mutational phylogeny. *Nucleic Acids Research* 2007;35(suppl 1):D823–D828.
- Shankar SP, Fingert JH, Carelli V, Valentino ML, King TM, Daiger SP, Stone EM. Evidence for a Novel X-Linked Modifier Locus for Leber Hereditary Optic Neuropathy. *Ophthalmic Genetics* 2008;29(1):17–24.
- Vilkki J, Ott J, Savontaus ML, Aula P, Nikoskelainen EK. Optic atrophy in Leber hereditary optic neuroretinopathy is probably determined by an X-chromosomal gene closely linked to DXS7. *American Journal of Human Genetics* 1991;48(3):486–491.
- Yu-Wai-Man P, Griffiths PG, Hudson G, Chinnery PF. Inherited mitochondrial optic neuropathies. *Journal of Medical Genetics* 2009;46(3):145–158.